

Offices of the County Executive • 101 Monroe Street • Rockville, Maryland 20850

Subject	Executive Order No.	Subject Suffix
Street Acceptance	023-17	SA
Originating Department	Department Number	
Department of Permitting Services	09-16	3/10/17

Re: Acceptance of Roads for Maintenance MCDPS Permit Nos. 270776. 283900 and 298063.

This is to certify that construction of the following named streets have been completed in accordance with all applicable provisions of the Montgomery County Road Design and Construction Code as specified in the above-referenced permits. The materials used in the construction of these streets were tested and found to be in compliance with County Standards and Specifications.

Subdivision: Preserve at Rock Creek

Permit No.: 270776

Date of Final Inspection: October 26, 2016

Total Distance: 5,422 feet/ 1.03 miles

Total Lane Miles: 1.80

Total Bond Amount: \$1,041,800.00

SM Bowie Mill, LLC

11111 Sunset Hills Road, Suite 200

Reston, Va. 20190

<u>Coppelia Drive</u>: A modified primary open section residential road with a right-of-way 70 feet wide starting at the intersection of Bowie Mill Road (Station 7+20.95), at Station 0+00 to Station 13+50.00 and including the intersections of Toboggan Lane (North), and Toboggan Lane (South), within a traffic circle located at Station 4+72.34 and the intersection of Heartwood Drive (Station 13+09.88). A distance of 1,350 feet, pavement 24 feet wide, with curb and gutters at intersection radii, side ditches and sidewalks located on both sides. The sidewalks are located within the public improvement easements. Pavement consists of a 5-inch asphaltic concrete base course, 1.5 asphaltic concrete intermediate course and a 1.5 asphaltic concrete surface course.

Toboggan Lane (North): A modified tertiary open section residential roadway with a right-of-way of 50 feet wide starting at Station 0+00 at the intersection of Coppelia Drive (Station 4+72.34) within a traffic circle, and continuing to Station 12+97.97 including the intersection of Harbinger Drive (Station 0+00). A distance of 1,298 feet, pavement 20 feet wide, with curb and gutters at intersection radii, side ditches, and sidewalk on both sides. Sidewalks are located within public improvement easements. Pavement consists of a 3-inch asphaltic concrete base course, a 1.5-inch asphaltic concrete intermediate course, and a 1.5-inch asphaltic concrete surface course.

Toboggan Lane (South): A modified tertiary open section residential roadway with a right-of-way of 50 feet wide starting at Station 0+00, at the intersection of Coppelia Drive (Station 4+72.34) within a traffic circle, and continuing to Station 10+66.54 including the intersection(s) of Toboggan Circle, and terminating at the intersection of Heartwood Drive (Station 3+19.41). A distance of 1,067 feet, pavement 20 feet wide, with curbs and gutters at intersection radii, side ditches, and sidewalk on both sides. Sidewalks are located within public improvement easements. Pavement consists of a 3-



Offices of the County Executive • 101 Monroe Street • Rockville, Maryland 20850

Subject Street Acceptance	Executive Order No. 023-17	Subject Suffix SA
Originating Department Department of Permitting Services	Department Number 09-16	Effective Date 3/10/17

Continuation of "Preserve at Rock Creek", Permit No.: 270776

inch asphaltic concrete base course, a 1.5-inch asphaltic concrete intermediate course, and a 1.5-inch asphaltic concrete surface course.

<u>Toboggan Circle:</u> A modified tertiary open section residential roadway with a right of way 50 feet wide beginning at the intersection of Toboggan Lane (South – Station 4+18.65) at Station 0+00 and ending at Station 5+06.89 at the intersection of Toboggan Lane (South – Station 6+49.72). A distance of 507 feet, pavement 20 feet wide, with curbs and gutters at intersection radii, side ditches, and sidewalk on both sides. Sidewalks are located within public improvement easements. Pavement consists of a 3-inch asphaltic concrete base course, a 1.5-inch asphaltic concrete intermediate course, and a 1.5-inch asphaltic concrete surface course.

<u>Heartwood Drive:</u> A modified tertiary open section residential roadway with a right of way of 50 feet wide beginning at the intersection with Coppelia Drive (Station 13+09.88) at Station 0+00 and continuing to Station 5+20.00 including the intersection of Toboggan Lane (South – Station 10+66.54) at Station 3+19.41. A distance of 520 feet, pavement 20 feet wide, with curbs and gutters at intersection radii, side ditches, and sidewalk on both sides. Sidewalks are located within public improvement easements. Pavement consists of a 3-inch asphaltic concrete base course, a 1.5-inch asphaltic concrete intermediate course, and a 1.5-inch asphaltic concrete surface course.

<u>Harbinger Drive</u>: A modified tertiary open section residential roadway with a right-of way 50 feet wide starting at the intersection with Toboggan Lane (North – Station 4+90.78) at Station 0+00.00 to Station 6+80.00. A distance of 680 feet, pavement 20 feet wide, with curbs and gutters at intersection radii, side ditches, and sidewalk on both sides. Sidewalks are located within public improvement easements. Pavement consists of a 3-inch asphaltic concrete base course, a 1.5-inch asphaltic concrete intermediate course, and a 1.5-inch asphaltic concrete surface course.



Offices of the County Executive • 101 Monroe Street • Rockville, Maryland 20850

Subject Street Acceptance	Executive Order No. 023-17	Subject Suffix SA
Originating Department Department of Permitting Services	Department Number 09-16	Effective Date 3/10/17

Subdivision: Preserve at Rock Creek

Permit No.: 283900

Date of Final Inspection: October 26, 2016

Total Distance: 4,290 feet/0.81 miles

Total Lane Miles: 1.37

Total Bond Amount: \$586, 900.00

SM Bowie Mill, LLC

11111 Sunset Hills Road, Suite 200

Reston, Va. 20190

Coppelia Drive: A modified primary open section residential road with a right-of-way 70 feet wide beginning 1,350 feet from the intersection of Bowie Mill Road at Station 13+50.00 to Station 16+55.45 at the intersection with Harbinger Drive (Station 14+15.63). A distance of 305 feet, pavement 24 feet wide, curb and gutters at intersection radii, side ditches and sidewalks located on both sides. The sidewalks are located within the public improvement easements. Pavement consists of a 5-inch asphaltic concrete base course, 1.5 asphaltic concrete intermediate course and a 1.5 asphaltic concrete surface course.

<u>Toboggan Lane (North)</u>: A modified tertiary open section residential roadway with a right-of-way of 50 feet wide starting at Station 12+97.97 to Station 18+59.62. A distance of 562 feet, pavement 20 feet wide with side ditches, and sidewalk on both sides. Sidewalks are located within public improvement easements. Pavement consists of a 3-inch asphaltic concrete base course, a 1.5-inch asphaltic concrete intermediate course, and a 1.5-inch asphaltic concrete surface course.

Heartwood Drive: A modified tertiary open section residential roadway with a right of way of 50 feet wide beginning 520 feet from the intersection with Coppelia Drive (Station 13+09.88) at Station 5+20.00 and continuing to Station 12+25.00 including the intersections of Heartwood Circle (Station 0+00) at Station 6+30.93 and Station 10+20.93. A distance of 705 feet, pavement 20 feet wide with curbs and gutters at intersection radii, side ditches, and sidewalk on both sides. Sidewalks are located within public improvement easements. Pavement consists of a 3-inch asphaltic concrete base course, a 1.5-inch asphaltic concrete intermediate course, and a 1.5-inch asphaltic concrete surface course.

Heartwood Circle: A modified tertiary open section residential roadway with a right of way of 50 feet wide beginning at the intersection with Heartwood Drive (Station 6+30.93) at Station 0+00 and continuing to Station 16+09.14 including the intersections of Harbinger Drive (Station 17+88.99) and Heartwood Drive (Station 10+20.93). A distance of 1609 feet, pavement 20 wide with curbs and gutters at intersection radii, side ditches, and sidewalk on both sides. Sidewalks are located within public improvement easements. Pavement consists of a 3-inch asphaltic concrete base course, a 1.5-inch asphaltic concrete intermediate course, and a 1.5-inch asphaltic concrete surface course.



Offices of the County Executive • 101 Monroe Street • Rockville, Maryland 20850

Subject Street Acceptance	Executive Order No. 023-17	Subject Suffix SA
Originating Department Department of Permitting Services	Department Number 09-16	Effective Date 3/10/17

Continuation of "Preserve at Rock Creek", Permit No.: 283900

Harbinger Drive: A modified tertiary open section residential roadway with a right-of way 50 feet wide beginning 680 feet from intersection with Toboggan Lane (North – Station 4+90.78) at Station 6+80.00 to Station 17+88.99, including the intersection of Coppelia Drive (Station 16+56.45) at Station 14+15.63. A distance of 1,109 feet, pavement 20 feet wide with curbs and gutters at intersection radii, side ditches, and sidewalk on both sides. Sidewalks are located within public improvement easements. Pavement consists of a 3-inch asphaltic concrete base course, a 1.5-inch asphaltic concrete intermediate course, and a 1.5-inch asphaltic concrete surface course.

Subdivision Name-Preserve at Rock Creek

Permit No.: 298063

Date of Final Inspection: October 26, 2016

Total Distance: 2023 feet/0.38 miles

Total Lane Miles: 0.64

Total Bond Amount: \$276,100.00

SM Bowie Mill, LLC

11111 Sunset Hills Road, Suite 200

Reston, Va. 20190

<u>Toboggan Lane</u>: A modified tertiary open section residential road with a right-of-way 50 feet wide starting at Station 18+59.62 to Station 38+82.00 terminating in a cul-de-sac. A distance of 2023 feet pavement 20 feet wide with side ditches and sidewalk located on the left side only. The sidewalk is located within the public improvement easement. Pavement consists of a 3-inch asphaltic concrete base course, 1.5 asphaltic concrete intermediate course and a 1.5 asphaltic concrete surface course.

SUMMARY OF THIS EXECUTIVE ORDER

Number of Permits:	3
Number of Subdivisions:	
Distance of Streets Accepted - Feet:	
Distance of Streets Accepted - Miles:	2.22
Distance of Streets Accepted - Lane-Miles:	3.81



Offices of the County Executive • 101 Monroe Street • Rockville, Maryland 20850

Subject	Executive Order No.	Subject Suffix
Street Acceptance	023-17	SA
Originating Department	Department Number	
Department of Permitting Services	09-16	3/10/17

All work and submissions required for accelerance and acceptance is recommended. Nov 25, 2016 Date	By: Manager, Department of Permitting Services Division of Land Development Right-of-Way Inspections
It is recommended that Montgomery County maintenance: November 30, 2014 Date	Maryland, accept the roads described above for January Director, Department of Permitting Services
Said roads are hereby accepted for mainten 3)0)7 Date	Assistant Chief Administrative Officer